



# COASTAL COMMUNITIES: A DIFFERENT TYPE OF WATER VIEW

NOVEMBER 15, 2019

2019 RASCL SUMMIT PRESENTATION





# Challenges

- Communities experiencing more frequent drainage issues
  - Short but heavy rainfall events
  - Coastal storms
  - Flooding from the ocean and the bays
  - Inadequate infrastructure
- Growth has led to an increase in impervious surface area
  - Redevelopment



2012



2019



# Resilient Communities Partnership (RCP)

- Delaware Department of Natural Resources and Environmental Control (DNREC) Delaware Coastal Programs Office (DCP)
    - Leverages federal funding provided by the National Oceanic and Atmospheric Administration (NOAA)
    - **Goal:** To help communities undertake the necessary planning to become more *resilient* to coastal hazards.
    - Technical assistance grant
    - DCP provides direct staffing, technical support, public outreach and training to support coastal and climate resiliency efforts
      - Bob Scarborough and Kelly Valencik
- 2016: Town of Slaughter Beach
- 2017: City of New Castle
- 2018 - Current: City of Rehoboth Beach and other coastal communities



# RCP Partners

- 7 Coastal Communities in Sussex County, DE
  - City of Lewes
  - Town of Henlopen Acres
  - City of Rehoboth Beach
  - Town of Dewey Beach
  - Town of Bethany Beach
  - Town of South Bethany
  - Town of Fenwick Island



# Additional Partners and Stakeholders

- Funding
  - NOAA
  - U.S. Department of Commerce
- Direct Project Assistance
  - DNREC
    - Delaware Coastal Programs and the Office for Coastal Management
    - Surface Water Discharges Section
  - AECOM and KCI Technologies Inc.
  - University of Delaware
    - Department of Geography
  - Chesapeake Conservancy
- Stakeholders
  - Delaware Center for the Inland Bays
  - Save Our Lakes Alliance 3




# Project Overview

- Three Components
  - Coastal Delaware Best Management Practices (BMP) Guide
    - AECOM
  - Delaware Coastal Communities Impervious Surface Coverage Report
    - University of Delaware, Department of Geography
  - Coastal Community Toolkit
    - KCI Technologies Inc.



# Coastal Delaware Best Management Practices (BMP) Guide

- AECOM
  - Best Management Practices (BMP) Guide
    - 12 BMPS
      - Characteristics:
        - Benefits
        - Property Type
        - Feasibility & Maintenance
        - Relative Cost
        - Level of Maintenance
    - Implementation Strategies
      - Regulatory vs Incentive



# Best Management Practice Examples

- Bioretention
- Bioswales
- Infiltration
- Permeable Pavement
- Impervious Surface Removal
- Dry Well
- Rooftop Disconnect
- Green Roof
- Rainwater Harvesting
- Tree Planting
- Conservation Landscaping
- Filtration

## 10. Tree Planting



**Figure 28: Trees at Rehoboth Art League**  
Trees near the Rehoboth Art League's walking path absorb stormwater runoff.

Trees absorb much more water than typical plants; thus they are an effective way to reduce stormwater runoff. Planting large groups of trees together can result in exponentially greater runoff reduction.

### Feasibility

The following table lists the feasibility requirements for tree planting.

Soils	Minimum depth to bedrock must be 4 feet
Water Table	Depth to seasonally high ground water is required to be greater than 1 foot where trees are planted. Choose tree species that are suited to ground water conditions.
Drainage Area	No restrictions
Slope Restriction	No restrictions
Hot Spot Runoff	No restrictions
100-yr Floodplain	No restrictions
Other Restrictions	Infiltration practices should be set back at a distance that will ensure that water infiltrating into the ground will not interfere with surrounding buildings and basements. The distance should be determined by a qualified engineer.

BMP	Property Type	Relative Cost	Benefit	Level of Maintenance
Tree Planting	Res, CII	\$-\$	Runoff Rate Reduction, Habitat	Low



**Figure 29: Oniopye State Park**  
Trees are planted in a streetscape bioretention area between the sidewalk and street at Oniopye State Park in southwestern Pennsylvania.

AECOM

When planting trees and other vegetation, property owners should maximize their use of native species and ensure that no invasive species are planted. Invasive species have few to no native predators or environmental controls and thus can spread more quickly than native species. Invasive plants and trees choke out native ones and make forested areas uninhabitable for birds and mammals. The following tree species are native to Delaware and are organized by the region in Delaware in which they commonly grow (DNREC, 2019). Before planting a tree that is not one of the following species, consult the University of Delaware's Plants for a Livable Delaware guide to ensure that the species is not invasive and choose alternative species that satisfy particular aesthetic functions.

#### Native Piedmont Tree Species

Sugar Maple: <i>Acer saccharum</i>	Tulip Tree: <i>Liriodendron tulipifera</i>	Hophornbeam: <i>Ostrya virginiana</i>	Sourwood: <i>Oxydendron arboreum</i>
Swamp White Oak: <i>Quercus bicolor</i>	Shingle Oak: <i>Quercus imbricaria</i>	Chestnut Oak: <i>Quercus prinus</i>	American Linden: <i>Tilia americana</i>

#### Native Coastal Plain Tree Species

Shadblow: <i>Amelanchier Canadensis</i>	Green hawthorn: <i>Crataegus viridis</i>	Loblolly pine: <i>Pinus taeda</i>
---	--	-----------------------------------

#### Native Piedmont or Coastal Plain Tree Species

Red maple: <i>Acer rubrum</i>	Ironwood: <i>Carpinus caroliniana</i>	Persimmon: <i>Diospyros virginiana</i>	American sweetgum: <i>Liquidambar styraciflua</i>
Downy serviceberry: <i>Amelanchier arborea</i>	Eastern redbud: <i>Cercis canadensis</i>	American beech: <i>Fagus grandifolia</i>	Sweetbay magnolia: <i>Magnolia virginiana</i>
Apple serviceberry: <i>Amelanchier grandiflora</i>	Hackberry: <i>Celtis occidentalis</i>	White ash: <i>Fraxinus americana</i>	Black tupelo: <i>Nyssa sylvatica</i>
Allegheny serviceberry: <i>Amelanchier laevis</i>	White fringetree: <i>Chionanthus virginicus</i>	Green ash: <i>Fraxinus pennsylvanica</i>	Virginia pine: <i>Pinus virginiana</i>
Common pawpaw: <i>Asimina triloba</i>	Pagoda dogwood: <i>Cornus alternifolia</i>	American holly: <i>Ilex opaca</i>	American sycamore: <i>Platanus occidentalis</i>
River birch: <i>Betula nigra</i>	Eastern flowering dogwood: <i>Cornus florida</i>	Eastern red cedar: <i>Juniperus virginiana</i>	London plane: <i>Platanus x acerifolia</i>
White Oak: <i>Quercus alba</i>	Scarlet Oak: <i>Quercus coccinea</i>	Bur Oak: <i>Quercus macrocarpa</i>	Willow Oak: <i>Quercus phellos</i>
Red Oak: <i>Quercus rubra</i>	Shumard Oak: <i>Quercus shumardii</i>	Common sassafras: <i>Albidum</i>	Bald cypress: <i>Taxodium distichum</i>

### Maintenance

#### As Needed

- Control invasive plants
- Mow to control weeds and competing undergrowth
- Replant trees that have not survived
- Water trees during the first year of growth



**Figure 30: Route 1 Bioswales**  
Trees are planted along one of the Route 1 Bioswales to help filter stormwater runoff and stabilize the facility.

AECOM



# Delaware Coastal Communities Impervious Surface Coverage Report

- Objectives
  - Assess accuracy of the impervious GIS layers in 2007 and 2016 for the Delaware coastal communities (RCP Participants)
  - Determine the change in impervious surface coverage from 2007 to 2016
- Data Sources
  - State of Delaware impervious surface GIS layer for 2007
  - Chesapeake Conservancy land cover dataset (2016)
    - Using 2013 and 2014 National Agriculture Imagery Program (NAIP) and orthoimagery

Delaware Coastal Communities Impervious Surface Coverage

FINAL REPORT

Prepared by

Dr. Tracy DeLiberty  
Department of Geography  
University of Delaware


31 August 2019

This report was prepared by University of Delaware using Federal funds under award NA17NOS4190151 from the Delaware Coastal Programs and the Office for Coastal Management (OCM), National Oceanic and Atmospheric Administration (NOAA), U.S. Department of Commerce. The statements, findings, conclusions, and recommendations are those of the author(s) and do not necessarily reflect the views of the OCM NOAA or the U.S. Department of Commerce.



# Report Accuracy Assessment

- Accuracy of information is around 92%; therefore the changes that are indicated from 2007 to 2016 are within the margin of error
- Accuracy Assessment
  - Project Raster tool
  - Generated sampling points
  - Random points for comparison
  - Visual sample points (Google Earth & Google Street View)
    - No on site analysis performed



# Assessment Results

- On average, the beach towns' impervious surface area was 32% of the town area in 2007 with an increase to 35% by 2016.
- Revealed a 3% increase in impervious surface area in the Delaware Beach Communities over the 10 year period. The private designated areas within the towns reveals a 2% increase (in comparison to total town area) from 2007 to 2016.


Municipality	Private Area <sup>1</sup>	2007 Delaware Layer			2016 Chesapeake Layer			% Private Parcel <sup>4</sup>	% Private Total <sup>5</sup>
		Private Imp Sfc <sup>1</sup>	% Imp Sfc Parcel <sup>2</sup>	% Imp Sfc Town <sup>3</sup>	Private Imp Sfc <sup>1</sup>	% Imp Sfc Parcel <sup>2</sup>	% Imp Sfc Town <sup>3</sup>		
Bethany Beach	2.18	0.78	30.79	25.70	0.89	35.06	29.26	4.26	3.56
Dewey Beach	0.54	0.35	52.92	29.64	0.34	52.56	29.44	-0.36	-0.20
Fenwick Island	0.58	0.29	46.99	22.43	0.35	56.64	27.04	9.66	4.61
Henlopen Acres	0.37	0.09	17.69	13.06	0.09	17.66	13.04	-0.02	-0.02
Lewes	4.90	1.21	12.52	10.10	1.36	14.07	11.35	1.55	1.25
Rehoboth Beach	1.69	0.82	38.34	20.90	0.82	38.59	21.03	0.25	0.14
South Bethany	0.79	0.34	37.09	24.71	0.41	44.98	29.97	7.89	5.26

The table summarizes the private impervious surface in comparison to the total parcel area (excludes lakes, canals, beaches) and total town area delineated by the Municipality layer.



# Coastal Community Toolkit Development (December 2019)

- KCI Technologies Inc.
  - Identify BMP's considered with each Municipality (private & public)
  - Summarize Coastal Community unique challenges
  - Finalize Coastal Community ordinance matrix
  - Implementation recommendations/next steps
  - Identify funding opportunities

 **City of Rehoboth Beach** Date: \_\_\_\_\_

Point of Contact: \_\_\_\_\_

Email Address: \_\_\_\_\_

**Resilient Community Partnership Project Input**

Listed below you will find the Best Management Practices (BMP's) for improving water quality and reducing runoff in your Community. This exercise will help determine options to offer incentives and/or regulate as well as if they should be applicable to private and/or public lands.

BMP's	Incentive	Regulatory	Private	Public
<b>BIORETENTION</b>				
Rain Garden				
Tree Box Filters				
Streetscape Bioretention				
Large Bioretention				
Raised Planter Box				
<b>BIOSWALE</b>				
Bioswale				
<b>INFILTRATION</b>				
Infiltration Trench				
Infiltration Basin				
<b>PERMEABLE PAVEMENT</b>				
Permeable Concrete Pavers				
Grid Pavement Systems				
Pervious Concrete				
Porous Asphalt				
<b>IMPERVIOUS REMOVAL</b>				
Impervious Surface Removal				
<b>ROOFTOP DISCONNECT</b>				
Rooftop Disconnect				
<b>GREEN ROOF</b>				
Green Roof				
<b>RAINWATER HARVESTING</b>				
Rain Barrels				
Cisterns				
<b>TREE PLANTING</b>				
Tree Planting				
<b>CONSERVATION LANDSCAPING</b>				
Conservation Landscaping				
<b>FILTRATION</b>				
Surface Sand Filter				
Underground Sand Filter				
Organic, Non-Structural Filter				
Perimeter Sand Filter				
<b>DRY WELL</b>				
Dry Well				



# Project Deliverables

- Completed
  - Coastal Municipalities Impervious Surface Coverage Report
  - Delaware Coastal Communities Impervious Surface Coverage Report
- Pending (December 2019)
  - Municipal Toolkit
    - Implementation recommendations/next steps
    - Funding opportunities
- Continued Coordination





Evan Miller, Projects Coordinator  
[emiller@cityofrehoboth.com](mailto:emiller@cityofrehoboth.com)  
(302) 227-6181 x117

This project was funded using Federal funds under award NA17NOS4190151 from the Delaware Coastal Programs and the Office for Coastal Management (OCM), National Oceanic and Atmospheric Administration (NOAA), U.S. Department of Commerce. The statements, findings, conclusions, and recommendations are those of the author(s) and do not necessarily reflect the views of the OCM NOAA or the U.S. Department of Commerce.

